



MTD50R

Highly Efficient Truck Unloader

The MTD50R is McCloskey International's truck reception feed or truck unloader. It is designed to allow operators to continuously load directly from articulated road lorries and eight wheelers into train wagons, barges, ships, and hoppers, and can also be coupled with other McCloskey™ products.

The machine eradicates double handling and cross contamination of materials in the truck unloading operation and increases the efficiency of the process, reducing costs considerably.

Features

- 1200mm (48") wide, 50 ft. long, Transfer conveyor
- 98kW (127Hp) of power. CAT 4.4
- Heavy duty chain and sprocket drive meaning no slippage
- Hydraulic folding flip toe ramps as standard
- Truck cycle times of under 3 minutes
- Specialized, user friendly hydraulics system

Dimensions and Capacities

Engine	98kW (127Hp)
Transport Length	19.8m (65' 1")
Transport Width	3.5m (11' 4")
Transport Height	3.6m (11' 11")
Working Height	7.9m (26' 1")
Working Length	27.9m (91' 7")
Feed Conveyor Belt Width	2200mm (87")
Product Conveyor Belt Width	1200mm (48")
Hopper Capacity	20m ³ (26yd ³)
Max. Production Rate	1100 TPH (1000 metric TPH)

©Copyright 2020 McCloskey International.
All rights reserved. McCloskey is a trademark of
McCloskey International.

McCloskey International reserves the right to make changes to the information and design of the machines on this brochure without reservation and notification to the users. Information at time of print considered accurate — McCloskey International assumes no liability resulting from errors or omissions in this document.

Large Feeder

2200mm (87") wide heavy duty steel hopper allows operators to load 20m³ (26 yd³) of standard aggregates with hopper extensions option to increase capacity.

50' Main Conveyor

Heavy duty main 48" (1200mm) wide conveyor and 50' long offers hydraulic folding.

Hydraulic Folding Conveyor

Hydraulic folding heading section for transport minimizing setup time.

Tracked Mobility

Fully portable tracked unit with 4m tracks for easy on site maneuverability

